

Wr.Nr.	DIN	ČSN	AISI	AFNOR	BS
1.4000	X6Cr13	17020	403	Z6C13	-
1.4002	X6CrAl16	-	405	Z6CA13	-
1.4005	X12CrS13	-	416	Z11CF13	416S21
1.4006	X10Cr13	17021	410	Z10C14	410S21
1.4016	X6Cr17	17040	430	86C17	430S15
1.4021	X20Cr13	17022	420	Z20C13	420S37
1.4024	X15Cr13	-	-	Z12C13M	420S29
1.4028	X30Cr13	17023	420 F	Z30C14	420S45
1.4034	X46Cr13	17024	-	Z40C14	420S45
1.4057	X20CrNi17 2	17145	431	Z15CN16.02	431S29
1.4104	X12CrMoS17	-	430 F	Z10CF17	441S29
1.4112	X90CrMoV18	-	440 B	-	-
1.4113	X6CrMo17 1	-	434	Z8CD17.01	434S17
1.4122	X39CrMo17 1	-	-	-	-
1.4301	X5CrNi18 10	17240	304	Z6CN18.09	304S15
1.4303	X5CrNi18 12	-	308,305	Z8CN18.12	305S19
1.4305	X10CrNiS18 9	17243	303	Z10CNF18.09	303S21
1.4306	X2CrNi19 11	17249	304 L	Z2CN18.10	304S12
1.4307	X2CrNi18 9	-	304 L	Z3CN18.10	304S11
1.4310	X12CrNi17 7	-	301	Z12CN17.07	-
1.4311	X2CrNi18 10	-	304 LN	Z2CN18.10	304S62
1.4313	X3CrNiMo13 4	-	CA 6-MN	Z4CND13.04M	425C11
1.4401	X5CrNiMo17 12 2	17 346	316	Z6CND17.11	316S16
1.4404	X2CrNiMo17 13 2	17 349	316 L	Z2CND17.12	316S12
1.4406	X2CrNiMoN17 12 2	-	316 LN	-	316S61
1.4429	X2CrNiMoN17 13 3	-	316 LN	Z2CND17.13	-
1.4435	X2CrNiMo18 14 3	17 350	316 L	Z2CND17.13	316S12
1.4436	X5CrNiMo17 13 3	17 352	316	Z6CND17.12	316S16
1.4438	X2CrNiMo18 16 4	-	317 L	Z2CND19.15	317S12
1.4510	X6CrTi17	-	430 Ti	-	-
1.4512	X6CrTi12	-	409	-	409S19
1.4541	X6CrNiTi18 10	17 246-8	321	Z6CNT18.10	312S12
1.4542	X5CrNiCuNb16 4	-	630	Z7CNU15.05	-
1.4550	X6CrNiNb18 10	17 245	347	Z6CNNb18.10	347S17
1.4563	X1NiCrNoCu31 27 4	-	-	Z2NCDU31.27	-
1.4571	X6CrNiMoTi17 12 2	17 347	316 Ti	Z6CNDT17.12	320S17
1.4580	X6CrNiMoNb17 12 2	-	316 Cb	Z6CNDNb17.12	-
1.4713	X10CrAlSi7	-	-	Z8CA7	-
1.4724	X10CrAlSi13	-	-	Z10C13	-
1.4742	X10CrAlSi18	-	-	Z10CAS18	-
1.4749	X18CrN28	-	446-1	-	-
1.4762	X10CrAlSi25	-	446	Z10CAS24	-
1.4821	X15CrNiSi25 4	-	-	Z20CNS25.04	-
1.4828	X15CrNiSi20 12	17 251	309	Z15CNS20.12	-
1.4833	X7CrNi23 14	-	309 S	Z20CN24 13	309S16
1.4841	X15CrNiSi25 20	17 255	314	Z12CNS25.20	314S25
1.4845	X12CrNi25 12	17 255	310 S	Z12CNS25.20	310S24
1.4864	X12NiCrSi35 16	-	330	Z12NCS35.16	3076NA17
1.4876	X10NiCrAlTi18 10	-	B 163	Z8NC32.21	3076NA15H
1.4878	X8CrNiTi18 10	-	321	Z6CNT18.12	321S51
1.4923	X22CrMoV12 1	-	-	-	-